INSTRUMENT PRACTICE

INDEX TO VOL. 23, 1969

INSTRUMENT PRACTICE

INDEX TO VOL. 23, 1969

* Signifies new Instruments.

A

Accelerometer, low impedance*, Jan., p. 26
Accelerometers, miniature*, June, p. 419
Accelerometer systems*, Feb., p. 87
Actuator:
electric valve*, Oct., p. 690
pneumatic set-point*, July, p. 485
Actuators, pneumatic*, Jan., p. 14
Adaptor, temperature*, Sept., p. 611
Advanced Industrial Instrumentation Project—One Year Later, May, p. 350
Agar, J.: The Vibrating Spool Fluid Density Meter, June, p. 437
Alarm:
flow failure*, Aug., p. 552
instrument deviation*, July, p. 472
oil spillage*, June, p. 415
smoke density indicator*, Sept., p. 608
Alarm system*, Jan., p. 26
Alarm system, temperature and humidity*, April, p. 266
Amplifier:
anti-log module*, Jan., p. 8
biased*, Feb., p. 97
data*, Oct., p. 691
differential*, June, p. 402
galvanometer drive*, Jan., p. 19; April, p. 262
instrumentation*, June, p. 409
operational*, Sept., p. 607
operational, f.e.t. input*, Mar., p. 190
operational, high voltage*, April, p. 257
operational, wideband*, June, p. 416
servo*, May, p. 334
strain gauge*, Nov., p. 771
transducer d.c.*, Sept., p. 623
Amplifiers:
Darlington*, Feb., p. 98
magnetic*, Mar., p. 176
operational*, July, p. 481; Aug., p. 543
Amplifier system, vibration*, Aug., p. 553
Analogue Computer Simulates Natural Gas Network, May, p. 361
Analyser:
dissolved oxygen*, April, p. 266
fibre diameter*, Mar., p. 209
laser particle size*, July, p. 485
relay logic*, Sept., p. 617
servo*, Feb., p. 88
spectrum*, June, p. 405
thermal, low temperature*, Oct., p. 694
Anemometers, industrial*, May, p. 338
Annunciator, alarm*, Jan., p. 8
Annunciators, fault warning*, Jan., p. 25
Auger, P.: *see* Cave, R. W.
Autocall unit*, Dec., p. 828
Automatic Control of Precision Flow Measurement with the Mercury-seal Piston Calibrator, A. P. H. Jennings, Part 1, Feb., p. 128; Part 2, Mar., p. 201
Automation and Control Systems, F. C. Harbert, Sept., p. 633
Automation of The Resist Process, N. E. Sherlock, Dec., p. 871
Avometer, electronic*, Sept., p. 623

B

Book Reviews, Jan., p. 38 ; Feb., p. 135; April, p. 285; May, p. 362, 364; June, p. 426, 429, 434; Aug., p. 583; Oct., p. 713, 717, 725, 728; Nov., p. 794; Dec., p. 560, 870
Bowers, D. P.: *see* King, R. T.
Bowl feeder, vibratory*, Feb., p. 97
Breadboards, solderless*, Aug., p. 552
Bridge:
admittance, automatic*, Feb., p. 90
component, automatic*, Jan., p. 20
Brisk, M. L., Davies, C. and Jones, M.: Computer Control of Research Equipment for the Investigation of Gas-Solid Reactions, Part 1—Hardware, Jan., p. 33; Part 2—Computer Software, Feb., p. 117
British Instrument Industry—Is It a Hypochondriac? The, G. J. Burton *et al.*, Nov., p. 795
British Standards Yearbook, Aug., p. 569
Brown, H. H. and Perryman, D. R.: A Logical Approach to Instrumentation System Design, April, p. 293
Buffer, computer, high-speed*, July, p. 481
Burges, D. J.: A New Industrial Gas Chromatograph, May, p. 347
Burton, G. J. *et al.*: The British Instrument Industry—Is It a Hypochondriac? Nov., p. 795

C

Calibration of thermometers*, Mar., p. 179
Calibrator:
unit*, Dec., p. 837
V.H.F./U.H.F.*, Jan., p. 5
Calvert, G.: Narrow Band Proportional Sampled Data Control of Systems Which Include Dead-time, Dec., p. 854
Capacitor, miniature*, Feb., p. 100
Card punches, portable*, May, p. 334
Cave, R. W. and Auger, P.: Fluidic Handling of Integrated Circuits, Reject Classifying and Packaging Unit, Aug., p. 568
Chambers, environmental*, May, p. 334
Chatterjee, R.: *see* Ranganathan, S. R.
Chromatography, automatic*, Nov., p. 766
Church, F.: Computer Application in the Paper Industry, May, p. 358
Circuit breakers, thermo-magnetic over-current*, July, p. 472
Circuit selector, programming*, Dec., p. 830
Circulator, bath heater*, June, p. 416
Coils:
miniature*, Jan., p. 14
nylon tube*, May, p. 336
Commentary, Jan., p. 3; Feb., p. 83; Mar., p. 167; April, p. 247; May, p. 315; June, p. 395; July, p. 467; Aug., p. 535; Sept., p. 603; Oct., p. 679; Nov., p. 751; Dec., p. 823
Comparators, differential*, May, p. 333
Computer:
analogue/hybrid*, June, p. 408
analogue/hybrid, teaching*, Oct., p. 696
mass flow*, Aug., p. 546
Computer Application in the Paper Industry, F. Church, May, p. 358
Computer Control of Research Equipment for the Investigation of Gas-Solid Reactions, M. L. Brisk, C. Davies and M. Jones, Part 1—Hardware, Jan., p. 33; Part 2—Computer Software, Feb., p. 117
Conditioner, signal, strain gauge*, Oct., p. 694
Conditioning system, low-cost modular signal, additions to*, May, p. 333
Connector, sexless*, Dec., p. 832
Connectors, thermocouple*, Aug., p. 546
Control Engineer in the Process Industries, The, Barry Shackcloth, Jan., p. 29
Control equipment, pneumatic*, Sept., p. 624
Control of the Thames-Mersey Pipeline, Janet Edwards, June, p. 435
Controller:
advanced local*, Sept., p. 608
atmospheric moisture*, Mar., p. 171
contact thermometer*, Sept., p. 626
electronic current*, Oct., p. 690
industrial level*, Jan., p. 26
single-setpoint*, Sept., p. 611
solenoid valve*, Mar., p. 182
temperature*, July, p. 480
temperature recording*, Oct., p. 684
three-term by fluidics*, Sept., p. 605
wire length*, May, p. 329
Controllers, continuous*, Dec., p. 844
Controls:
photo-electric*, Feb., p. 87
refrigeration temperature*, Dec., p. 835

Controlweighing system*, Nov., p. 755
Conversion, analogue-to-digital*, July, p. 476
Converter:
analogue-to-digital*, Mar., p. 190
bit*, Jan., p. 17
punched magnetic tape*, Jan., p. 26
torque balance*, May, p. 323
Converters, A-to-D, D-to-A, miniature*, Mar., p. 171
Core memory, fast, low-cost*, Feb., p. 88
Core store, high-speed*, Nov., p. 771
Count modules, single decade*, June, p. 402
Counter:
batch, digital*, Oct., p. 701
batch, programmable*, Nov., p. 768
b.c.d., up/down*, June, p. 420
controller, pre-determining*, Nov., p. 766
five-digit*, Sept., p. 607
hour*, May, p. 342
module*, May, p. 320
printer*, Sept., p. 623
pulse, readout decade*, Oct., p. 689
Counters:
batch*, Aug., p. 553
bi-directional*, Dec., p. 841
digital predetermining*, May, p. 338
fluidic*, May, p. 319
Counting unit, photo-electric*, April, p. 268
Coupling, magnetic constant torque*, Feb., p. 87
Cylinders, air*, Sept., p. 607

D

Dance, J. B.: Semiconductor Nuclear Particle Detectors, Feb., p. 113; Electroluminescent Devices and Their Applications, Part 1, June, p. 423; Part 2, July, p. 493
Data acquisition equipment*, Sept., p. 626
Data logger:
high-speed*, Sept., p. 613
integrated circuit*, April, p. 265
Data logging, low-cost*, May, p. 330
Data readers, *X-Y**, May, p. 333
Data transmitting device*, Mar., p. 181
Davies, C.: *see* Brisk, M. L.
Detector:
cable fault*, Oct., p. 691
crack, non-ferrous*, Oct., p. 691
fluidic leak*, Oct., p. 690
wire defect*, Feb., p. 97
Detectors, resistance temperature, clamp-on*, Nov., p. 765
Digital Filtering—Digital Simulation, Janos Gertler, Oct., p. 709
Digitest 500 multimeter, Honeywell*, June, p. 399
Diodes, discharge*, Dec., p. 830
Display unit, digital*, Mar., p. 175
Dreloba kit*, July, p. 485
Drive modules:
stepper motor*, Dec., p. 828
thyristor*, Nov., p. 759
Dry Reed Uniselector with Retentive Memory, Douglas Knights, Feb., p. 131.
Dunkley, Rowland: Slaves in Big Systems, May, p. 356

E

Earley, B.: A Millivolt Source for Laboratory and General Use, Jan., p. 39
Economics and the Technologist, Preview, Sept., p. 656; Part 1—Business Fundamentals, Oct., p. 726; Part 2—Analysing Costs, Nov., p. 784; Part 3—Project Evaluation, Dec., p. 861
Eddy-current Crack Detector (AMLEC), H. Heys, Aug., p. 565
Edwards, Janet: Control of the Thames-Mersey Pipeline, June, p. 435
Electroluminescent Devices and Their Applications, J. B. Dance, Part 1 — Electroluminescent Panels, June, p. 423; Part 2—Electroluminescent Diodes, July, p. 493
Electronic Measuring Equipment based on a Counter/Timer/Clock and Variable Frequency Oscillators, R. T. King and D. P. Bowers, April, p. 290
Electronic system, digital*, Mar., p. 175
Encapsulating shells*, Feb., p. 103
Encoder, angle*, Nov., p. 756
Encoders, shaft*, Mar., p. 169
Energy absorption devices*, Feb., p. 93

F

Faultfinder, automatic diagnostic*, Dec., p. 842
Fibres, light-transmitting*, May, p. 333
Filter units*, Sept., p. 608
Filter, variable active*, June, p. 409
Firing module, thyristor*, Aug., p. 552
Fischbacher, R. E.: Progress Towards Automatic Inspection . . A Report on the SIRA '69 Eastbourne Conference, June, p. 440
Float switch*, June, p. 408; July, p. 478
Flow computers*, Jan., p. 8
Flow controller, automatic*, June, p. 415
Flow measurement*, April, p. 266
Flowmeter:
air, twin range*, April, 272
electromagnetic*, April, p. 252
magnetic for low conductivity liquids*, Mar., p. 179
Flowmeters:
easy-to-read*, Mar., p. 185
mass*, Nov., p. 770
Rotameter*, Feb., p. 93
Fluidic Handling of Integrated Circuits, Reject Classifying and Packaging Unit, R. W. Cave and P. Auger, Aug., p. 568
Fraade, David: 10 Years After—A Word To The Wise, July, p. 504
Frequency counter/timer, 12·5MHz*, April, p. 254
Frequency Domain Transducers and their Applications, P. N. Potter, Dec., p. 849
Frequency meter, 120MHz*, Aug., p. 544
From Sea to Shore, the Problems of Natural Gas Instrumentation, J. A. Merrett, April, p. 280

G

Gall, C. A.: Laboratory High Pressure Equipment for Operation up to 14kbar, Oct., p. 718
Galvanometer, sensitive*, Jan., p. 19
Gas alarm system*, July, p. 480
Gas blending control*, July, p. 475
Gauge:
float level*, Feb., p. 100
fluidic contamination*, Nov., p. 768
gas pressure*, Nov., p. 756
pressure, potentiometric*, Nov., p. 765
tank contents*, Jan., p. 26
Gauges:
low pressure*, Jan., p. 14
thickness, digital ultrasonic*, Dec., p. 842
Gearbox, miniature*, Dec., p. 841
Gear pumps, internal*, May, p. 326
Generator:
low frequency*, Sept., p. 620
variable waveform*, Aug., p. 544
Generator/indicator, bridge*, Sept., p. 624
Gertler, Janos: Digital Filtering—Digital Simulation, Oct., p. 709
Goddard, K.: G.P.O. Lines Used by Remote Plant Surveillance, Monitoring, Reporting and Adjustment System—At really Low Cost, Aug., p. 580
Going Metric—Going Wrong, Mar., p. 216
G.P.O. Lines Used by Remote Plant Surveillance, Monitoring, Reporting and Adjustment System—At Really Low Cost, K. Goddard, Aug., p. 580
Grease, heavy duty, outdoor*, July, p. 472

H

Harbert, F. C.: Automation and Control Systems, Sept., p. 633
Heat dissipators*, Dec., p. 837
Heat exchanger*, Feb., p. 100
Heys, H.: Eddy-current Crack Detector (AMLEC), Aug., p. 565
Hincks, D. J.: Some Aspects of Alarm Monitoring, Part 1, Oct., p. 714; Part 2, Nov., p. 788

Hiorns, F. J.: *see* Parkinson, M. J.
Hitchings, G. G.: The Optimal Location of a Main Facility with Respect to Located Ancillary Facilities in both Planar and Spatial States, June, p. 427; The Problem of Assignment Relating to the Layout Design of Control and Display Panels, July, p. 508
Honeywell Demonstrate Total Capability, Three levels of Control Hierarchy, May, p. 365
Honeywell Solid State Keyboard, Jan., p. 50
Hygrometer, textile*, Sept., p. 620

I

Indicator:
cryogenic temperature*, Jan., p. 8
elapsed time*, Feb., p. 97; April, p. 265
machine to size*, Oct., p. 701
strain, low-cost*, April, p. 252
Indicator/controller:
pH*, Mar., p. 190
temperature*, Oct., p. 694
Indicators:
level, high stability*, Nov., p. 765
50Hz*, Aug., p. 553
microminiature*, Nov., p. 756
modular switch*, June, p. 402
neon*, Nov., p. 766
Indicator tube, logic circuit*, Aug., p. 552
Industrial Gas Chromatograph, A New, D. J. Burges, May, p. 347
Infra-red Gauge Measures Paper Weight and Moisture—Fast. It Measures Plastic Film Thickness—Too, May, p. 363
Instrument air dryer*, Oct., p. 696
Instrument line, pneumatic*, Feb., p. 85
Instrumentation and Control for Plastics Moulding Powder Factory, Aug., p. 575
Instrumentation modules*, Jan., p. 22
Instruments, panel-mounting*, Feb., p. 94
Insulation tester, low-voltage*, Aug., p. 553
Integrated Circuit Testing at Texas Instruments Ltd. Automatic Testing Cuts Cost of Quality Control, Aug., p. 570
Integrated circuits, TTL*, Sept., p. 624
Integrator, digital volt-time*, June, p. 410
Inventions Unlimited, A look at the Linpex '69 Exhibition, Mar., p. 211
Isolator:
3·5 to 11 GHz*, Nov., p. 762
computer-modem*, April, p. 272
Istituto E Museo Di Storia Della Scienza. A Five Part History of Instruments, L. B. Lambert, Part 1—After the Flood, July, p. 498; Part 2—Measurement, Topography and Calculators, Aug., p. 557; Part 3—Mainly Time, Sept., p. 645; Part 4—Mainly Meteorological, Oct., p. 729; Part 5—Mainly Optics, Magnetics and Statics, Nov., p. 777

J

Jennings, A. P. H.: Automatic Control of Precision Flow Measurement with the Mercury-seal Piston Calibrator, Part 1, Feb., p. 128; Part 2, Mar., p. 201
Jones, M.: *see* Brisk, M. L.

K

Kaines, C. J. and Preece, K. N.: Some Developments in Non-destructive Measurement, Mar., p. 205
King, R. T. and Bowers, D. P.: Electronic Measuring Equipment based on a Counter/Timer/Clock and Variable Frequency Oscillators, April, p. 290
Knights, Douglas: Dry Reed Uniselector With Retentive Memory, Feb., p. 131

L

Labex International 1969, Mar., p. 217
Laboratory High Pressure Equipment for Operation up to 14kbar, C. A. Gall, Oct., p. 718
Lambert, L. B.: Istituto E Museo Di Storia Della Scienza. A Five Part History of Instruments, Part 1—After The Flood, July, p. 498; Part 2—Measurement, Topography and Calculators, Aug., p. 557; Part 3—Mainly Time, Sept., p. 645; Part 4—Mainly Meterological, Oct., p. 729; Part 5—Mainly Optics, Magnetics and Statics, Nov., p. 777
Lamp, neon*, Dec., p. 832
Lektrokit rack and chassis system*, June, p. 405
Level indicator/controller, continuous*, May, p. 317
Lever-motors*, Jan., p. 7
Light-guide source, portable*, Feb., p. 90
Lighting control, photo-electric*, Feb., p. 93
Light-sensitive arrays, custom-designed*, April, p. 272
Lights, panel, miniature*, Dec., p. 841
Lights range, panel*, Nov., p. 772
Line transfer equipment, automatic dial out (RADLE)*, Aug., p. 537
Logger, alarm*, Nov., p. 759
Logic element, fluidic*, May, p. 326
Logic, moving-part, pneumatic*, Dec., p. 828
Logical Approach to Instrumentation System Design, A, H. H. Brown and D. R. Perryman, April, p. 293
Low Cost Sequential Controller for Pneumatic and Other Applications Demanding Extreme Reliability and Moderate Speed, A, D. E. Newland, July, p. 489
Low Price Loggers for Laboratories, G. A. Rigby, Sept., p. 652
Lubricant:
general purpose*, July, p. 472
instrument*, Aug., p. 543

M

Manifolds, power supply*, July, p. 472
Manipulation by Computer . . . On-line Real-time, Aug., p. 573
Manometers, flexible*, Sept., p. 607
Marine temperature monitoring*, Jan., p. 17
Mass flow measurement*, Jan., p. 17
Mass Flowmeter for Gasborne Powders, M. J. Parkinson and F. J. Hiorns, Mar., p. 197
Mass store, small*, July, p. 478
Matrix programming and logic*, April, p. 251
Measurement of Transient Pressures in Soils, The, J. C. Muirhead, June, p. 432
Mechanized Assembly of Printed Circuit Boards, P. D. Toulouse, Oct., p. 720
Megohmmeters*, Oct., p. 686
Memory element*, July, p. 476
Memory systems*, Jan., p. 25
Merrett, J. A.: From Sea to Shore, The Problems of Natural Gas Instrumentation, April, p. 280
Metal detector, Loma*, Jan., p. 20
Metal identification, ferrous*, May, p. 330
Meter/controllers, pH*, Nov., p. 755
Meter:
dB, digital*, Feb., p. 94
digital multi-range*, Mar., p. 179
digital volt, high accuracy*, Oct., p. 691
gas density, accurate to 0·1% on-line*, Oct., p. 701
high voltage*, Jan., p. 7
laser power*, Mar., p. 185
microwave frequency*, Feb., p. 98
pH, industrial*, April, p. 252
pipeline insertion*, Dec., p. 838
pressure, Nolte differential*, July, p. 471
power, pulse-output*, June, p. 401
sampling moisture*, Dec., p. 828
voltage/frequency*, Sept., p. 617
yarn tension*, Feb., p. 88
Meters:
digital panel*, Jan., p. 26; May, p. 320
inductance and capacitance*, Mar., p. 189
purge*, Sept., p. 620
Metering unit*, Nov., p. 768
Microswitch, triple-pole*, Feb., p. 100
Microvoltmeter:
a.c.*, Oct., p. 698
null-detector, combination*, May, p. 338

Microwave line, solid-state*, Oct., p. 693
Millivolt Source for Laboratory and General Use, A, B. Earley, Jan., p. 39
Modules, data comunication*, Feb., p. 100
Monitor scanner, modular*, Mar., p. 182
Monitoring system, vibration*, Dec., p. 832
Monitoring unit, remote*, Aug., p. 540
Moore, Charles F., Smith, Cecil L. and Murrill, Paul W.: Simplifying Digital Control Dynamics for Controller Tuning and Hardware Lag Effects, Jan., p. 45
Motor:
d.c., miniature*, July, p. 482
miniature*, Feb., p. 106
Motors, high power, printed*, June, p. 409
MTOS: Today's Applications, Peter Rush, Jan., p. 43
Muirhead, J. C.: The Measurement of Transient Pressures in Soils, June, p. 432
Multimeter:
digital*, July, p. 475; Oct., p. 689; Nov., p. 772; Dec., p. 842
low-cost*, Jan., p. 19
Multiplier, monolithic linear*, Oct., p. 698
Murrill, Paul W.: *see* Moore, Charles F.

N

Narrow Band Proportional Sampled Data Control of Systems Which Include Dead-time, G. Calvert, Dec., p. 854
Nail finder*, Dec., p. 835
Needle valve, miniature soft seat*, June, p. 405
Needle valves, precision*, Aug., p. 539
New Literature, Jan., p. 27; Feb., p. 111; Mar., p. 193; April, p. 275; May, p. 345; June, p. 444; July, p. 486; Aug., p. 585; Sept., p. 631; Oct., p. 738; Nov., p. 775; Dec., p. 847
New Low-cost Digital Position Indicating System, E. J. Wightman, April, p. 277
New Products Review, Jan., p. 7; Feb., p. 87; Mar., p. 171; April, p. 251; May, p. 319; June, p. 399; July, p. 469; Aug., p. 539; Sept., p. 607; Oct., p. 683; Nov., p. 753; Dec., p. 827
Newland, D. E.: A Low Cost Sequential Controller for Pneumatic and Other Applications Demanding Extreme Reliability and Moderate Speed, July, p. 489
News of The Industry, Jan., p. 67; Feb., p. 150; Mar., p. 233; April, p. 306; May, p. 380; June, p. 456; July, p. 518; Aug., p. 592; Sept., p. 668; Oct., p. 740; Nov., p. 806; Dec., p. 881
Nicholson, Professor H.: On-Line Digital Control of Industrial Processes—A Research Programme, Sept., p. 640

O

Oil pressure control*, Aug., p. 549
On-Line Digital Control of Industrial Processes—A Research Programme, Professor H. Nicholson, Sept., p. 640
Optimal Location of a Main Facility with Respect to Located Ancillary Facilities in both Planar and Spatial States, The, G. G. Hitchings, June, p. 427
Oscillator:
sine-wave*, Oct., p. 690
wide amplitude range*, Aug., p. 543
Oscillograph, recording*, Oct., p. 698
Oscilloscope camera*, Aug., p. 544
Oscilloscope:
double-beam*, May, p. 330
portable*, Sept., p. 613
storage*, Aug., p. 549
Oscilloscope unit, high-sensitivity*, May, p. 329

P

Parkinson, M. J. and Hiorns, F. J.: Mass Flowmeter for Gasborne Powders, Mar., p. 197
Performance-Optimizing Controller: a new approach to the basic objectives of process control, Mar., p. 213
Perryman, D. R.: *see* Brown, H. H.
Philosophy of a Digital Systems Test Set, Raymond J. Wales, Nov., p. 786
Photoconductive cells*, Mar., p. 182
Photo-head, reflected light*, May, p. 326
Photo-thyristors, high-sensitivity*, Dec., p. 827
Phototubes, u.v.*, Oct., p. 684
Photovoltaic devices, hybrid*, July, p. 472
Pickup:
magnetic, blind end*, Aug., p. 554
magnetic, miniature*, June, p. 416
Pivot bearings, frictionless*, Aug., p. 546
Plug-in units, Avo digital system*, Nov., p. 755
Pneumatic Consotrol Controller Series 130, Feb., p. 121
Position measurement, precision*, Dec., p. 835
Potentiometer/cam switches*, Sept., p. 624
Potentiometer:
gravity-sensing*, Aug., p. 540
precision*, Feb., p. 94
Potentiometers, motor-driven*, May, p. 319
Potter, P. N.: Frequency Domain Transducers and their Applications, Dec., p. 849
Power control module*, July, p. 475
Power regulator, thick film*, Mar., p. 176
Power supply:
miniature*, June, p. 408; Dec., p. 844
variable frequency*, July, p. 482
Power supplies, general purpose*, Oct., p. 689
Preece, K. N.: *see* Kaines, C. J.
Printer, strip*, June, p. 401
PrintSwitch kit, Plessey*, July, p. 469
Probability calculator*, Jan., p. 17
Probe holder, spring loaded*, Dec., p. 841
Probe:
soil moisure*, Mar., p. 175
thermometer*, Aug., p. 549
X-ray*, April, p. 262
Problem of Assignment Relating to the Layout Design of Control and Display Panels, The, G. G. Hitchings, July, p. 508
Process control instrumentation*, Dec., p. 830
Process control system, modular*, Dec., p. 837
Process Control—The Present State of Theory, H. H. Rosenbrock, June, p. 430
Profile of a Breakthrough: Precision Instrumentation for Flow Measurement of Liquids and Gases, Theodore Scooros, May, p. 354
Programmer:
general purpose*, Oct., p. 683
for process control*, Mar., p. 175
plugboard, fluidic*, Oct., p. 681
random-access*, June, p. 420
Programming:
board*, Jan., p. 22
plug*, Feb., p. 90
switch*, July, p. 476
switch, drum*, Jan., p. 20
Progress Towards Automatic Inspection . . . A Report on the SIRA '69 Eastbourne Conference, R. E. Fischbacher, June, p. 440
Protection equipment, engine*, Dec., p. 838
Prototype kit, printed-circuit*, Mar., p. 189
Pulse detector, digital*, Feb., p. 94
Pulse generator, wide-range*, Feb., p. 106
Pump:
corrosion-resistant*, April, p. 251
pressure, reciprotor vacuum*, May, p. 342
twin metering*, July, p. 482
Pumps:
corrosion resistant*, Oct., p. 691
triro*, Oct., p. 683
Push-button:
fluid*, Sept., p. 607
stations*, Jan., p. 19
Pyrometer, infra-red*, Dec., p. 842

R

Ranganathan, S. R. and Chatterjee, R.: A New Semi-automatic Stress-strain Tester for Wool and Other Fibres, Aug., p. 577
Reader translator, time code*, Oct., p. 693
Recorder:
disc, instrument*, Sept., p. 613
electrostatic*, May, p. 319
event*, Sept., p. 611
event, 10-channel*, Mar., p. 176
event, 60-channel*, Oct., p. 686
event, digital*, June, p. 405
graphic, portable*, Mar., p. 179
high pressure*, July, p. 482
potentiometric, multi-channel*, Mar., p. 181
multipoint*, Nov., p. 753
X-Y*, May, p. 320

Rectifiers:
40A*, May, p. 336
miniature*, April, p. 265
Rectifier, miniature, high-voltage*, April, p. 272
Recorders, chart*, Mar., p. 175
Recording system, incremental*, Nov., p. 768
Reed scanner*, July, p. 481
Reeds, wiping action*, Oct., p. 683
Reeve, G. R.: Sound and Ultra-sound, May, p. 351
Regulator:
potentiometric temperature*, Nov., p. 770
small-flow, precision*, April, p. 268
Regulators, pressure, miniature*, Feb., p. 90
Relay:
latching, miniature magnetic*, Dec., p. 827
pneumatic, snap-acting*, Nov., p. 762
printed circuit board mounting*, July, p. 476
reed, low-cost*, April, p. 268
sensitive*, Feb., p. 103
small 4-pole*, April, p. 254
Relays:
additional Powereed*, Mar., p. 185
metering*, May, p. 333
miniature*, Sept., p. 608
miniature plug-in*, Nov., p. 770
sub-miniature*, Dec., p. 838
thermal*, April, p. 261
Repeater, pneumatic level/density*, May, p. 323
Rigby, G. A.: Low Price Loggers for Laboratories, Sept., p. 652
Rosenbrock, H. H.: Process Control—The Present State of Theory, June, p. 430
Rush, Peter: MTOS: Today's Applications, Jan., p. 43

S

Scooros, Theodore: Profile of a Breakthrough: Precision Instrumentation for Flow Measurement of Liquids and Gases, May, p. 354
Sealectroswitch, bi-directional*, Mar., p. 190
Seals, diaphragm*, June, p. 402
Semi-automatic Stress-strain Tester for Wool and Other Fibres, A New, S. R. Ranganathan and R. Chatterjee, Aug., p. 577
Semiconductor Nuclear Particle Detectors, J. B. Dance, Feb., p. 113
Sensing system, miniature*, July, p. 478
Sensor, linear cryogenic temperature*, Oct., p. 693
Sensors, proximity and photocell*, Mar., p. 172
Sequence control system*, Dec., p. 832
Servo conversion units, modular*, April, p. 254
Servomanometer*, Nov., p. 772
Servo-tester, automatic*, Aug., p. 543
Shackcloth, Barry: The Control Engineer in the Process Industries, Jan., p. 29
Sherlock, N. E.: Automation of The Resist Process, Dec., p. 871
Shock chamber, thermal*, Aug., p. 539
Signal conditioning system*, Jan., p. 19
Signal generator for telemetry, f.m.*, April, p. 265
Signal generator, r.f.*, Feb., p. 97
Signal generators*, Sept., p. 617
Signal isolation unit*, Mar., p. 171
Silicon compound, high-melting point*, June, p. 405
Simplifying Digital Control Dynamics for Controller Tuning and Hardware Lag Effects, Charles F. Moore, Cecil L. Smith and Paul W. Murrill, Jan., p. 45
Simpson, M. M.: United Kingdom Fluidics Applications Spectrum, Dec., p. 865
Slaves in Big Systems, Rowland Dunkley, May, p. 356
Smith, Cecil L.: *see* Moore, Charles F.
Solenoids, miniature*, Sept., p. 611
Some Aspects of Alarm Monitoring, D. J. Hincks, Part 1, Oct., p. 714; Part 2, Nov., p. 788
Some Developments in Non-destructive Measurement, C. J. Kaines and K. N. Preece, Mar., p. 205
Sound and Ultra-sound, G. R. Reeve, May, p. 351
Sources of Information. Are you using them effectively? A. Spillard, April, p. 286
Spectrometer:
electron*, Sept., p. 607
n.m.r.*, Aug., p. 540
X-ray*, Feb., p. 93
Spillard, A.: Sources of Information. Are you using them effectively? April, p. 286
Stabilizer, a.c., static*, May, p. 323
Strain gauge bridge completion unit*, Mar., p. 182
Strain gauges:
polyimide-backed*, July, p. 471
temperature compensated*, Feb., p. 93
Strainers:
Low cost*, July, p. 476
pipeline*, Jan., p. 7
Strain measurement equipment*, Jan., p. 10
Stroboscope, white light*, Mar., p. 175
Swaged hose assemblies*, Mar., p. 189
Switch:
inductive proximity*, Oct., p. 684
inverter by-pass*, Aug., p. 554
keyboard*, Jan., p. 22
light activated*, Nov., p. 756
liquid level*, Nov., p. 759
magnetic proximity*, Sept., p. 619
mercury tilt*, Mar., p. 179
miniature reed*, Oct., p. 686
printed rotary*, May, p. 336
proximity*, May, p. 338
sub-miniature*, June, p. 410
thermocouple selector*, Sept., p. 611
thumbwheel*, May, p. 333
Switches:
miniature pressure*, July, p. 480
pressure*, Jan., p. 10
proximity*, June, p. 401
rocker*, Dec., p. 841
thumbwheel*, June, p. 405
time*, April, p. 261
Switching system, air*, Mar., p. 181

T

Tachometer:
digital*, Oct., p. 701; Dec., p. 837
high-speed analogue*, June, p. 419
photo*, Mar., p. 171
Tacho-ratiometers, digital*, April, p. 257
Tank-level gauge, marine, intrinsically safe*, April, p. 249
Tape recorder, instrumentation*, Nov., p. 771
Technology Applied, Jan., p. 55; Feb., p. 137; Mar., p. 225; April, p. 301; May, p. 369; June, p. 445; July, p. 513; Aug., p. 586; Sept., p. 659; Oct., p. 703; Nov., p. 797; Dec., p. 875
Temperature chamber, low*, Oct., p. 683
Temperature controller:
digital*, Feb., p. 88
heavy duty*, Aug., p. 546
indicating*, May, p. 326; June, p. 415
thermistor*, April, p. 254
Temperature controllers*, Aug., p. 554
Temperature controls, plug-in*, Nov., p. 762
Terminal display unit*, Sept., p. 623
Test chamber*, June, p. 415
Test chamber, walk-in*, Nov., p. 766
Test set:
audible*, Jan., p. 25
semiconductor*, Jan., p. 22
transistor*, Aug., p. 554
Test systems, dynamic*, Feb., p. 106

Tester:
digital I.C.*, Oct., p. 696
tensile, compact*, June, p. 409
Testing furnace, tensile*, Aug., p. 540
Thermistors, glass probe*, Jan., p. 22
Thermocouple, extension cable*, June, p. 420
Thermocouples, ready-to-use*, Mar., p. 190
Thermoelectric module*, June, p. 416
Thermography equipment*, May, p. 342
Thermometer dial*, May, p. 320
Thermometer, electronic*, Aug., p. 544
Thermostats, indicating*, Aug., p. 551
Thick film modules, hybrid*, Dec., p. 830
Thirty Years On. Forecast 1968-2000 of Computer Developments and Applications, July, p. 507
Thyristor:
80A*, Jan., p. 7
low current*, June, p. 405
Thyristors:
dynamically-balanced*, Mar., p. 175
high temperature operation*, Dec., p. 828
Time delay unit*, Aug., p. 543
Time-sharing system*, Sept., p. 626
Timer:
cam*, Dec., p. 827
cam, 15A*, Aug., p. 552
counter, digital*, Feb., p. 90
counter, 32MHz*, Jan., p. 8
double contact*, Dec., p. 844
electronic*, April, p. 265
industrial*, Aug., p. 549
pneumatic valve/microswitch*, June, p. 401
process*, Feb., p. 98
process, set-point*, April, p. 268
relay switching*, June, p. 420
solid state*, April, p. 251
Timer modules, low cost*, Oct., p. 689
Timer system, camshaft*, Nov., p. 762
Timers:
miniature plug-in*, Aug., p. 549
plug-in*, Dec., p. 835
process*, Dec., p. 844
solid state*, Sept., p. 626
Toulouse, P. D.: Mechanized assembly of printed circuit boards, Oct., p. 720
Trace reader, digital*, Nov., p. 759
Trace reader/digitizer*, Nov., p. 771
Tracer, curve, semiconductor*, Feb., p. 103

Transducer:
acceleration*, Jan., p. 20
digital*, Dec., p. 838
digital/pneumatic*, June, p. 419
displacement*, Nov., p. 762
gravity-sensing*, Oct., p. 698
plastic extruder*, Nov., p. 772
pressure*, Aug., p. 551
pressure*, Aug., p. 539
pressure*, Sept., p. 619
pressure differential*, Jan., p. 14
pressure, potentiometric*, May, p. 320
rotary*, Aug., p. 553
servo acceleration*, May, p. 334
transmitter*, Sept., p. 613
wide range flowrate*, Oct., p. 684
Transducers:
pressure, miniature*, June, p. 410
conductive plastic*, May, p. 329
hall effect*, Aug., p. 539
high temperature inductive*, July, p. 485
linear*, April, p. 257
linear*, May, p. 329
linear motion*, July, p. 478
load*, Sept., p. 608
miniature displacement*, July, p. 476
pressure, acceleration compensated*, Oct., p. 696
pressure, rationalized*, April, p. 261
proximity*, Dec., p. 841
Transformers, mains*, Oct., p. 686
Transistors:
plastic encapsulated*, July, p. 476
n.p.n. silicon power*, July, p. 472
Transmitter:
analyser, pH*, Dec., p. 827
current, 2-wire*, Mar., p. 172
pH*, April, p. 262
pneumatic rotary speed*, Oct., p. 693
thermocouple/mV*, Feb., p. 90
Transmitters:
conductivity*, May, p. 336
differential pressure*, Nov., p. 770
temperature*, Jan., p. 14
liquid level*, Feb., p. 103
Traversing system, anemometer probe*, Nov., p. 759
Triacs, 10A*, Feb., p. 97
Trigger unit for relay operation*, Dec., p. 835
Tube bender kit*, May, p. 323
Tube, multi-way*, April, p. 261
Twin vice*, Jan., p. 17

U

United Kingdom Fluidics Applications Spectrum, M. M. Simpson, Dec., p. 865

V

Valve:
actuators*, Feb., p. 106
butterfly, universal*, June, p. 416
button, pneumatic*, May, p. 338
control additions, Bossmatic*, Mar., p. 176
control, Fisher*, Sept., p. 619
control, high-pressure*, April, p. 272
control, semi-rotary*, Mar., p. 172
fluidic power*, July, p. 478
linear slide*, April, p. 251
manifolds, pneumatic*, July, p. 481
needle*, Jan., p. 25
plate, pneumatic*, June, p. 410
selector, pneumatic*, Aug., p. 551
pressure relief*, April, p. 262
seating, metal-to-metal*, Nov., p. 772
solenoid*, Mar., p. 189
toggle switch*, Dec., p. 837
switch, three-port*, May, p. 342
Valves:
2-port*, Mar., p. 181
control, air flow*, Feb., p. 87
control, glass p.t.f.e.*, May, p. 333
air control*, April, p. 254
miniature metering*, April, p. 268
miniature pneumatic*, April, p. 252
needle*, Mar., p. 182
poppet, pneumatic*, Nov., p. 772
Vibration analyser/dynamic balancer*, Oct., p. 686
Viscometer, pocket-size*, Nov., p. 755
Voltmeter:
digital*, Oct., p. 701
digital, programmable*, June, p. 419
digital memory*, April, p. 251
digital, print-out for*, Mar., p. 185
memory*, Aug., p. 551
Volt/multimeters, dual slope*, May, p. 336
Vibrating Spool Fluid Density Meter, The, J. Agar, June, p. 437

W

Wales, Raymond J.: Philosophy of a Digital Systems Test Set, Nov., p 786
Weigher and grader, high-speed*, Oct., p. 696
Weigher, auto net, high-speed*, May, p. 333
Weighing/counting system*, Dec., p. 827
Weighing units, hydraulic*, June, p. 408
Wightman, E. J.: New Low-cost Digital Position Indicating System, April, p. 277

X

X-ray equipment*, Sept., p. 617

Z

Zener barrier*, April, p. 257
Zener diodes, microminiature*, Feb., p. 88

£500 Converts Existing Digital Voltmeter and Output Printers into a Data Logger, Aug., p. 579
10 Years After—A Word To The Wise, David Fraade, July, p. 504

Printed in Great Britain by Herald Printers, York and London—71769